

L Number	Hits	Search Text	DB	Time stamp
6	267	(restor\$5 near4 data\$5) with (delet\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:36
7	1	(restor\$5 near4 data\$5) with (delet\$5) same (code\$5 near4 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:41
-	161	(shiro\$2 near3 takagi\$2).in. and (toshiba\$).as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:24
-	199	(shiro\$2 near3 takagi\$2).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:15
-	1081	(reduc\$5 decreas\$5) with (imag\$5 near2 data\$5) same (encod\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:10
-	6	(reduc\$5 decreas\$5) with (imag\$5 near2 data\$5) with (encod\$5 near4 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:15
-	1392	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5 amount\$5))) and ((reduc\$5 decrease\$5 lower\$5 delet\$5) with (imag\$5 print\$5 document\$5) adj4 (data\$5 size\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:19
-	0	(encode\$5 with imga\$5 near2 data\$5) with (abov\$5 high\$5 larg\$5) adj2 value\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:29
-	21	encod\$5 with reduc\$5 with (imag\$5 document\$5 print\$5) adj2 data\$5 same pattern\$5 and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:49
-	2	(document\$5 imag\$5 print\$5) adj2 data\$5 same (larg\$5 above\$5 high\$5) same (threshold\$5 predetermin\$5 limit\$5) same (reduc\$5) same (code\$5 near4 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:44
-	3	(encod\$5 near4 pattern\$5) with (document\$5 near2 data\$5 imag\$5 near4 data\$5 print\$5 near4 data\$5) same (above\$5 larg\$5 high\$5 more\$5) same (threshold\$5 predetermin\$5 initial\$5) same (valu\$5 limit\$5 amount\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:08
-	1550	(reduc\$5 lower\$5 delet\$5) with (document\$5 print\$5 imag\$5) adj2 (data\$5) same code\$5 and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:21

-	20	(code\$5 near2 pattern\$5) and (((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5 amount\$5))) and ((reduc\$5 decrease\$5 lower\$5 delet\$5) with (imag\$5 print\$5 document\$5) adj4 (data\$5 size\$5)) and @ad<19991027)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:58
-	8	(encod\$5 adj3 pattern\$5 with (compress\$5 reduc\$5) adj4 imag\$5 near2 data\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:36
-	0	(document\$5 imag\$5 print\$5) adj2 data\$5 with (larg\$5 above\$5 high\$5) same (threshold\$5 predetermin\$5 limit\$5) same (reduc\$5) same (code\$5 near4 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:42
-	12	(code\$5 near2 pattern\$5) with (document\$5 near2 data\$5 imag\$5 near4 data\$5 print\$5 near4 data\$5) same (above\$5 larg\$5 high\$5 more\$5) same (threshold\$5 predetermin\$5 initial\$5) same (valu\$5 limit\$5 amount\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:52
-	49	(code\$5 near2 pattern\$5) same (reduc\$5 lower\$6 delet\$5) same (print\$5 document\$5 imag\$5) adj2 data\$4 and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:29
-	15	(reduc\$5 adj4 imag\$5 near2 data\$5) same (encod\$5) same pattern\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 13:18
-	20	(reduc\$5 near4 (print\$5 document\$5 imag\$5) adj4 data same (higher\$5 larger\$5 above\$5) with (threshold\$5 predetermin\$5) same value\$4) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:31
-	467	(reduc\$5 delet\$5 lower\$5) with ((document\$5 print\$5 imag\$5) adj3 data\$5) same (larger\$5 greater\$5 higher\$5 above\$5) same (threshold\$5 predetermin\$5 maximum\$5) same (value\$5 limit\$5 amount\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:27
-	0	(compar\$5 determin\$5) adj4 (print\$5 imag\$5 document\$5) adj2 data\$5 with (threshold\$5 predetermin\$5) same (value\$5 limit\$5) same (code\$5 near4 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:05
-	43	(compar\$5 determin\$5) adj4 (print\$5 imag\$5 document\$5) adj2 data\$5 with (threshold\$5 predetermin\$5) same (value\$5 limit\$5) same (code\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:17
-	968	(compar\$5 determin\$5) adj4 (print\$5 imag\$5 document\$5) adj2 data\$5 with (threshold\$5 predetermin\$5) same (value\$5 limit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:02
-	15	(compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:55
-	0	reduc\$5 near4 (print\$5 document\$5 imag\$5) adj4 data same (higher\$5 larger\$5 above\$5) with (threshold\$5 predetermin\$5) same value\$%	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:58

-	673	((compar\$5 determin\$5) adj4 (print\$5 imag\$5 document\$5) adj2 data\$5 with (threshold\$5 predetermin\$5) same (value\$5 limit\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 15:22
-	72	(compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 compress\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:36
-	54	((reduc\$5 delet\$5) with ((document\$5 image\$5 print\$5) adj4 data\$5) same (code\$5 near4 pattern\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:27
-	10	encod\$5 adj3 pattern\$5 with (compress\$5 reduc\$5) adj4 imag\$5 near2 data\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:31
-	0	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027) not ((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 compress\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:45
-	3	(pattern\$5 near4 code\$5) with (reduc\$5 adj3 (imag\$5 near4 data\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:25
-	615	(encod\$5) with (reduc\$5) with (imag\$5 document\$5 print\$5) adj2 data\$5 and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:43
-	0	(code\$5 adj2 imga\$5 near2 data\$5) with (abov\$5 high\$5 larg\$5) adj2 value\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:26
-	37	reduc\$5 near4 (print\$5 document\$5 imag\$5) adj4 data same (higher\$5 larger\$5 above\$5) with (threshold\$5 predetermin\$5) same value\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:58
-	306	(encod\$5) with (document\$5 near2 data\$5 imag\$5 near4 data\$5 print\$5 near4 data\$5) same (above\$5 larg\$5 high\$5 more\$5) same (threshold\$5 predetermin\$5 initial\$5) same (valu\$5 limit\$5 amount\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:14
-	103	(reduc\$5 delet\$5 lower\$5) with ((document\$5 print\$5 imag\$5) adj3 data\$5) same (larger\$5 greater\$5 higher\$5 above\$5) same (threshold\$5 predetermin\$5 maximum\$5) same (value\$5 limit\$5 amount\$5) same (encod\$5 code\$5 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 14:39
-	2935	encod\$5 with (compress\$5 reduc\$5) adj4 imag\$5 near2 data\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:30

-	3486	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5 amount\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:38
-	23	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 lower\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027) not ((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:59
-	43202	(reduc\$5 decrease\$5 lower\$5 delet\$5) with (imag\$5 print\$5 document\$5) adj4 (data\$5 size\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:39
-	929	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5 amount\$5))) and ((reduc\$5 decrease\$5 lower\$5 delet\$5) with (imag\$5 print\$5 document\$5) adj4 (data\$5 size\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 17:40
-	1	((shiro\$2 near3 takagi\$2).in. and (toshiba\$).as.) and @rlpd<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:17
-	5	(encod\$5) with (reduc\$5) with (imag\$5 document\$5 print\$5) same pattern\$5 adj2 data\$5 and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:43
-	60	(reduc\$5 delet\$5) with ((document\$5 image\$5 print\$5) adj4 data\$5) same (code\$5 near4 pattern\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:14
-	272	(sato adj2 yuzuru).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:05
-	278	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 compress\$5 delet\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:37
-	10	(sato adj2 yuzuru).in. and fuji\$10.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:11
-	38	((compar\$5 determin\$5) with ((document\$5 imag\$5 print\$5) adj2 data\$5) same ((threshold\$5 predetermin\$5 limit\$5) adj2 (value\$5 number\$5)) same (reduc\$5 lower\$5 delet\$5) same (code\$5 encod\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:55
-	1366	((compar\$5 determin\$5) adj4 (imag\$5 near2 data\$5) with (threshold\$5 predetermin\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:04

-	158	((shiro\$2 near3 takagi\$2).in. and (toshiba\$).as.) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:27
-	36	(compar\$5 determin\$5) adj4 (imag\$5 near2 data\$5) adj4 (threshold\$5 predetermin\$5) same (reduc\$5 decrease\$5 compress\$5 delet\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:31
-	1439	(print\$5 imag\$5 document\$5) adj4 (size\$5) with (larg\$5 above\$5 high\$5) with (predetermin\$5 threshold\$5 valu\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:06
-	268	(print\$5 imag\$5 document\$5) adj4 (size\$5) with (larg\$5 above\$5 high\$5) with (predetermin\$5 threshold\$5 valu\$5) same (compar\$5 determin\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:35
-	16	(print\$5 imag\$5 document\$5) adj4 (size\$5) with (larg\$5 above\$5 high\$5) with (predetermin\$5 threshold\$5 valu\$5) same (compar\$5 determin\$5) same (encod\$5 code\$5 encrypt\$5 embedd\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:14
-	19	(print\$5 imag\$5 document\$5) adj4 (size\$5) with (larg\$5 above\$5 high\$5) with (predetermin\$5 threshold\$5 valu\$5) same (compar\$5 determin\$5) same (pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:15
-	34	(compar\$5 determin\$5 analyz\$5)with ((print\$5 imag\$5 document\$5) adj4 size\$5) with (larg\$5 above\$5 high\$5) with (predetermin\$5 threshold\$5 valu\$5) same (compress\$5 reduc\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 11:45
-	0	print\$5 with (cod\$5 adj4 pattern\$5) with reduc\$5 near4 (imag\$5 adj3 (data\$5 size\$5 amount)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:56
-	6	print\$5 with (cod\$5 adj4 pattern\$5) with (reduc\$5 compress\$5 decreas\$5) near4 (imag\$5 adj3 (data\$5 size\$5 amount)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:49
-	0	print\$5 with (encod\$5 with pattern\$5) with reduc\$5 near4 (imag\$5 adj3 (data\$5 size\$5 amount)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 14:57
-	10	print\$5 with (encod\$5) with reduc\$5 near4 (imag\$5 adj3 (data\$5 size\$5 amount)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:04
-	1	(print\$5 near5 (code\$5 adj4 pattern\$5)) with (reduc\$5 near4 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:26
-	2	ep-717398-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:48
-	2	ep-670555-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:57

-	1347	(print\$5 with (code\$5 near2 pattern\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:05
-	16	(print\$5 with (generat\$5 creat\$5)) adj4 (code\$5 near2 pattern\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 15:59
-	369	(print\$5 adj3 (code\$5 near2 pattern\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:06
-	13	(imag\$5 near4 form\$5) same (print\$5 adj3 (code\$5 near2 pattern\$5)) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 16:07
-	2	("6611352").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 19:41
-	3591	(358/1.1, 358/1.6, 358/1.8, 399/364, 399/373).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 19:42
-	606	(compar\$5 determin\$5) adj4 (imag\$5 near2 data\$5) adj4 (threshold\$5 predetermin\$5) and @ad<19991027	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 19:43
-	1	((358/1.1, 358/1.6, 358/1.8, 399/364, 399/373).ccls.) and ((compar\$5 determin\$5) adj4 (imag\$5 near2 data\$5) adj4 (threshold\$5 predetermin\$5) and @ad<19991027)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/01 19:43